
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1.942

UPITED STATES DEPARTMENT OF AGRICULTURE AGRICULTUA L MARKETING ADMINIST LATION El Paso, Texas

RECEIVED

JUN 141944

**S. DEPT. OF AGRICULTUR

Released

December 30, 1942

heserve

COTTON: ALERICAN ECYPTIAN GRADE AND STAPLE REPORT

The United States Department of Agriculture released today the estimated grade and staple length of American-Egyptian cotton, ginned through December 12 in the United States, by States. This report was released in response to requests for quality information not shown in the United States semi-monthly grade and staple report for Imerican-Egyptian cotton.

Estimated grade and staple length of American-Egyptian cotton ginned, through December 12, in the United States, by States, crop of 1942

schedulengenige operational political responsibility on a filter of conference on the colling			* * *					
Grade and	: rizona	a and :		:	Tc:	xas :		
Staple Length	California :				Dist. 6 :		All States	
Grade:	: Balcs : I	ercent:	Bales :	Percent:	Bales :	Percent:	Bales :	ercent
1 and 1-1/2	: 27,867:	92.1:	4,980:	77.9:	4,651:	54.6:	37,506:	83.0
2 and 2-1/2	: 2,309:	7.6:	1,373:	21.5:	3,466:	40.7:	7,148:	15.8
3 and 3-1/2	: £2:	.3:	24:	. L: :	359:	1,.2:	465:	1.0
4 and 4-1/2	: 7:	*:	5:	.1:	30:	.4:	50:	.i
5 and below 5	: :		5:	.1:	<u>5:</u>	.1:	10:	*
	:							
All Grades	: 30,265:	100.0:	6,395:	100.0:	8,519:	100.0:	45,179:	100.0
Length (Inches)	:		:	,				Peri campuamonio i Recordo di
	: 11,870:				4,179:		19,102:	
1-1/2 and $1-17/32$: 17,339:	57.3:	3,211:	50.2:	4,078:	47.9:	24,628:	54.5
1-9/16 and $1-19/32$: 1,056:	3.5:	131:	2.0:	262:	3.1:	1,449:	3.2
1-5/8 and $1-21/32$: - :	-:	- :	- :	-:	- :	- :	-
1-11/16 and $1-23/32$: -:				-:		-:	_
1-3/4 and longer	: <u>- :</u>	and the contract of the contra	- :	- :	<u> </u>	- :	-:	-
	:	:		:	:	:	:	
All lengths	: 30,265:	100.0:	6,395:	100.0	8,519:	100.0:	45,179:	100.0

^{*} Less than 0.05 percent.

YEHICYN-ECKLIYN COLLON ECHOKL

Official Business

VILLED STATES DEPARTIENT OF ACRICULTURE ACRICULTURAL MARKETING ADMINISTRATION TEXAS



UNITED STATES DEPARTMENT OF AGRICULTURE Food Distribution Administration El Paso, Texas

Released March 20, 1943

COTTON: AMERICAN-EGYPTIAN CRAFE AND STAPLE REPORT

The United States Department of Agriculture released today the estimated grade and staple length of American-Egyptian cotton in the United States, by States. This report was released in response to requests for quality information not shown in the United States grade and stable report for American-Egyptian cotton.

Estimated grade and staple length of American-Egyptian cotton ginned, through March 20, in the United States, by States, crop of 1942

Grade and	<u>.</u>	- mi zone	a and ·			Тех	as :		
Staple Length							. 6		tetoc
							Percent:		
Grade:								-	-
1 and 1-1/2		31,042:		•		: 4,710		40,944	
2 and 2-1/2	:	13,472:	24.9:	2,204:	26.4	: 4,229	39.6:	19,905	27.2
3 and 3-1/2	:	8,098:	15.0:	712:	8.5	: 1,397	13.0:	10;207	13.9
4 and 4-1/2	:	1,523:	2.8:	170:	2.0	307	2.9:	2,000	2.7
5 and below 5	:	14:	* ;	77:	. 9	: 42:	.4:	133	. 2
	:	:	:			•	:		
All grades	<u>:</u>	54,149:	100.0:	8,355	100.0	: 10,695	100.0:	73,189	100.0
Length (Inches):			•			•	:		
Shorter than 1-1/2		31,478:	58.1:	4,958:		6,243		42,679	
1-1/2 and $1-17/32$		21,561:		•	39.0	•		28,985	
		•				•		•	
						273		1,525	
1-5/8 and 1-21/32			-:	- :	- :	- :	: -:	_	-
1-11/16 and 1-23/32	:	-:	- :	- :		: - :	-:	-	-
1-3/4 and longer	:_	-:	<u>-:</u>	:	-	- :	-:		
	:	:	:	:			:		
All lengths	:	54,149:	100.0:	8,355:	100.0	: 10,685	100.0:	73,189	100.0

*Less than 0.05 percent


American-Egyptian ginnings totaled 73,189 bales this season according to the Bureau of the Census. Individual State ginnings are reported as follows: Arizona and California 54,149 bales; New Mexico 8,355 bales and Texas, District 6, 10,685 bales.

The United States Department of Agriculture estimates that grades No. 2-1/2 and above accounted for approximately 82 percent of the ginnings in Arizona and California, almost 89 percent in New Mexico and about 84 percent in Texas, District 6.

Estimates by the Department also show that American-Egyptian cotton shorter than 1-1/2 inches in stople length accounted for about 58 percent of the ginnings in Arizona and California, approximately 59 percent in New Mexico, and a little more than 58 percent in Texas, District 6.

THIS IS THE LAST GRADE AND STAPLE REPORT (AMERICAN-EGYPTIAN) FOR ARIZONA, CALIFORNIA, NEW MEXICO AND TEXAS, DISTRICT 6, THIS SEASON.

Werlchu-Ectprin Cotton Report



UNITED STATES DEPARTMENT OF ACRICULTURE Food Distribution Administration 517 U. S. Court House, El Paso, Texas

Penalty for private use to avoid payment of postage \$300

